

UNRESERVED

STEVE FLORER RETIREMENT

BIDDING CLOSES:

WEDNESDAY, DECEMBER 6, 2023
STARTING AT 10:00 AM^{CT}

OPEN HOUSE


TUESDAY, NOVEMBER 30 • 10 AM - 2 PM
WEST DES MOINES, IOWA



CONTACT:
STEVE FLORER
(515) 240-6657

Sales Representative:
Wade Feuring (515) 208-8713

BigIron



SULLIVAN
AUCTIONEERS
a BigIron company

TRACTOR

- **2021 John Deere 6155M MFWD Tractor**, 399.9 hrs showing, 155 hp, John Deere 6.8L 6-cyl, Block Heater, Auto Quad plus 20/20, 20 Forward Speeds, 20 Reverse Speeds, Front Axle Suspension, 540/Small 1000 PTO, Rear PTO, Rear Fender PTO Control, 3 Hydraulic Outlets, Rear Fender 3-Pt Hitch Control, 3-Point Hitch, Differential Lock, 380/85R28 Front Tires, 480/80R42 Rear Tire Size, Front and Rear Fenders, Joystick Loader Control, Single Point Loader Hyd. Hook-up, Standard Cloth Seat, ISOBUS Compatible, Operators Manual, E-SCV 3F electrical valve, 3 functions, loader mounting frame, GreenStar ready, manual telescopic mirrors, radio, 114 L/min hydraulic pump, category 3 draft link and center link with telescopic ball end, sway control blocks, 92 mm R&P rear axle, TLS 4WD front axle, toolbox, turnable front fenders, rear fender extensions, mechanical cab suspension, cold start package, fuel heater system, fuel tank bottom guard, beacon light, auto diff lock, (2) H4 beltline road lights, premium light package, 12 V/ 174 AH battery, battery circuit breaker, multi-power outlet strip, panorama roof, capacity's: fuel: 71 gal, exhaust fluid: 4 gal, hydraulic/transmission fluid: 16 gal, cooling system: 7 gal, wet disc clutch, power steering, hydraulic wet disc brakes, closed center pressure and flow compensated hydraulic system, 2900psi pressure, 30 gpm pump flow, 26.4 gpm SCV flow, rear hitch lift: 9,193 lbs, 108.9 in wheelbase, length: 186.1 in, height: 114.9 in, shipping weight: 13,073 lbs, negative ground charging system, (inner/outer wheel weights from this tractor also selling on this auction, id# IK8061), SN: 1L06155MCMK105867

HARVEST EQUIPMENT

- **1997 John Deere 9600 Combine**, 228 hp, 4,241 Engine Hours showing, 2,834 Separator Hours showing, John Deere 7.6L 6-cylinder Turbo Diesel, Hydrostatic, Variable Speed Header Drive, Manual Fore/Aft Reel Adjustment, Electric Concave Adjustment, Manual Sieve and Chaffer Adjustment, Rotary Chopper, Straw Spreader, 2WD, 30.5L-32 Front Tires, 16.9-24 Rear Tires, Air suspension operator seat, Operator's Manual, Fuel Capacity: 140 Gallon, buddy seat, 20' unloading auger, 240 bushel bin capacity, NOTE: see attachments for all service and repair records, SN: H09600X673581
- **John Deere 843 Corn Head**, 8 Row, 30" Spacing, Tin Snouts, Sprocket Shafts, Dual Shaft Drive, Rubber Ear Savers, Offset Knife Stalk Rolls, been ran on John Deere 9600 combine also on this auction ID# IK8055
- **John Deere 920 F 20' bean platform & E-Z Trail 680 header trailer**, 20' Flex - Header, poly finger reel, hydraulic fore/aft/height reel, single wobble box sickle drive, dual drive shafts, stainless steel flex pan, poly divide snouts, warning lights, sells with E-Z Trail 680 header trailer, (4) 20.5x8.0-10 tires on 6 bolt rims, rear pin hitch, adjustable gear and tongue, has been ran on John Deere 9600 combine also on this auction ID#IK8055, SN: H00920F686044

TILLAGE EQUIPMENT

- **Krause 6321 Soil Finisher**, 21' Wide, Pin Hitch, Power Folding, Hydraulic Down Assist, Scrapers, 9" Spacing, 12' Transport Width, Harrow Attachment, 19" Shank, Power Lift Assist, 10" Sweep, Spring Shanks, 150 Required HP, Tires: 9.5-15 QTY: 8, heavy duty XT spring shanks, 19.75" front blades, 12" sweeps, 3 bar coil tine harrow, SN: 1269

PLANTING EQUIPMENT

- **2014 Kinze 3500 8R30" Planter**, 2,259 Acreage Count, Two Hydraulic Connections Auxiliary Hydraulics, 7.50-20SL Operational Tires, 7.50-20SL Transport Tires, Clevis Hitch, Power Folding, 16 Rows, 11' Wide, Seed Box Hoppers, 1 1/2 Bu Hoppers, Ground Drive, Mechanical Meter, Kinze, Electric Row Clutches, Scrapers, Power Lift Assist, Folding Markers, Operator's Manual, 8 Row 30" With 8 Splitters, Pivot fold, jack, lights, electric clutches on 2 rows to leave tram lines for post emergent spraying, SN: 905888
- **1997 Par-Kan GW-150 Seed Tender**, Vanguard, Gas, Air Cooled Engine, Electric Start, 1 Axles, Spring Suspension, Hydraulic Brakes,

150 bushel capacity, 32 bushel per minute unload, Weigh- tronix scale system, 18 HP Vanguard gas engine, bumper pull hitch (2-5/16 ball), weatherproof operating console, 8" steel cupped auger, lights, jack, safety chains, hydraulic surge brakes, manual Shur-Lok roll tarp, non slip access stairs, fenders, (2) 12-16.5SL tires, SN: 97 0272

TRUCKS & TRAILERS

- **2000 International 9100 series S/A truck tractor**, 400 hp, 118,015 miles Showing, Cummins ISM, Block Heater, Eaton Fuller 10 speed, 10 Forward Speeds, Dual Fuel Tanks, Single Exhaust, 6x2, Air Suspension, 2 Air Bag(s), 11R 22.5 Front Tires, 11R22.5 Rear Tires, Steel Rims, Air Slide Fifth Wheel, Heater, AC, Radio, Gear Master II transmission monitor for easy shifting, VIN: 2HSFPAHN8YC036431
- **2009 Maurer 28 28' T/A grain Hopper trailer**, 54,000 Gross Vehicle Wt. Rating (GVWR), Spring Suspension, Fixed Axle, Air Brakes, Steel Wheels, Manual Tarp, steel Floor, steel Frame, Kingpin, 1 Hoppers, 62" Side Walls, 96" width, 25" Hopper Clearance, 285 75R 24.5 tires, spring suspension, front and rear ladders, manual Shur-Lok roll tarp, front glad hands, dual leg landing gear, air brakes, steel wheels, VIN: 1M9KG28279S152698
- **2011 Chevrolet K2500 HD LT 4x4 Crew Cab Pickup**, 360 hp, 84,251 miles showing, Vortec 6.0L V8, Gas, Water Cooled Engine, 1 Fuel Tank(s), 36 gal Fuel Capacity, Stainless Exhaust, Electric Start, Allison 6 speed, Automatic Transmission, 144.1" Wheel Base, Spring Suspension, Hydraulic Brakes, Power Brakes, 265/70R18 Front Tires, 265/70R18 Rear Tires, Aluminum Rims, Heater, AC, Radio, Security System, GVWR: 9,500, torsion bar front suspension, Z85 trailer handling suspension, multi-leaf rear spring suspension, 125 amp alternator, electronic shift transfer case, 4-wheel ABS brakes, driver and front passenger air bags. remote keyless entry, stabiltrax stability control, hill start assist, trailer sway control, auto headlamps, tire pressure monitor system, chrome rear bumper, 170 degree wide opening rear doors, front tow hooks, dual power heated OSRV mirrors, cargo box illumination, solar ray deep tinted glass, power locks and windows, leather wrapped steering wheel, illuminated vanity mirrors, driver side lumbar support, 60/40 split rear seating, dual glove box, XM radio with cd player, 12- volt aux power outlet, cruise control, vinyl floor mats, battery rundown protection, oil life monitor system, 6 way power driver seat, dual zone climate control, steering wheel radio/phone control, bluetooth, fog lamps, locking EZ lift tailgate, trailer tow package, integrated trailer brake controller, rear park assist, adjustable foot pedals, rear parking assist, electric rear window defogger, remote start and universal home remote, heated mirrors, rear axle 3.73 ratio, VIN: 1GC2KXCG6BZ382876

FARM EQUIPMENT

- **2003 Bobcat 863 G Series Skid Steer**, 1,056 Hrs Showing, 73 hp, Deutz BF4M1011F 4-cylinder turbocharged, Diesel, Block Heater, Hydrostatic Transmission, 12-16.5 Tires, Enclosed Cab, Hand & Foot Controls, Heat, AC, Front Wiper w/ Washer, 6' Bucket, Owners Manual, Length with Bucket: 11.29', Width Over Tires: 5.59', Height To Top of Cab: 6.86', Wheelbase: 3.65', Weight: 7,046 Lbs, 25 Gal Fuel Capacity, 12.5 Max Speed, 3800 Lb Tipping Load, operating capacity: 1,900 lbs, 3,000 psi system relief at quick couplers, 30.7 gpm auxiliary high flow, 83.7" turning radius, lights, seatbelt, top and rear window, adjustable seat, Bob-tach attachment system, lift arm support, SN: 514449863
- **Batco 1335 belt conveyer**, belt length: 68.8", weight: 1506 lbs, 5 hp single phase electric motor, (2) tires size: ST205/75D15, pin hitch, mechanical cable/winch lift, canvas hopper, SN: 130708
- **John Deere HX 15 bat wing rotary mower**, Small 1000 PTO, 15' Flex-Wing Mower, Chain Debris Guards, Rear Spring Suspension, (6) 21X7-12 Tires, 180" Cutting Width, (4) Gearcases, 6" Blade Overlap, Cutting Height: 1 To 16", Cutting Chamber Depth: 10.5", Tractor HP Requirement: 55 HP, Jack Stand Kit, transport width: 110", transport length: 194", double decker easy clean dome shaped deck, 5,250 lb weight (6 unused cutting blades for this mower also selling on this auction, id# IK2528), SN: WOXX15F012400



FULL LISTING AVAILABLE ONLINE:
WWW.BIGIRON.COM

BigIron



SULLIVAN
AUCTIONEERS
a BigIron company



**SULLIVAN
AUCTIONEERS**
a BigIron company

PO Box 111 • Hamilton, IL 62341-0111

www.SullivanAuctioneers.com

FIRST CLASS
U.S. POSTAGE
PAID
QUINCY, IL
PERMIT 23
62301

WEDNESDAY, DECEMBER 6, 2023



BigIron



**SULLIVAN
AUCTIONEERS**
a BigIron company

UNRESERVED ONLINE AUCTION

STEVE FLOREER RETIREMENT

WEST DES MOINES, IOWA